

Contents

Letters to the Editor

- The light curve of SN 1987 A
Schaeffer, R., Cassé, M., Mochkovitch, R., Cahen, S. L1
- Detection of interstellar CH and CH⁺ towards SN 1987 A
Magain, P., Gillet, D. L5
- Further data on the blue ring-like structure in A 370
Soucail, G., Mellier, Y., Fort, B., Hammer, F., Mathez, G. L7

Cosmology

- Gravitational lensing effect on the fluctuations of the cosmic background radiation
Blanchard, A., Schneider, J. 1
- The local radio luminosity function of galaxies
Toffolatti, L., Franceschini, A., De Zotti, G., Danese, L. 7
- Fragmenting the Universe. I. Statistics of two-dimensional Voronoi foams
Icke, V., van de Weygaert, R. 16

Extragalactic astronomy

- Formation of low ionization lines in active galactic nuclei
Joly, M. 33
- The Perseus supercluster at low galactic latitudes
M. Hauschildt 43
- The correlation between radio and optical variations in OJ 287
Valtaoja, L., Sillanpää, A., Valtaoja, E. 57
- Optical and near-infrared observations of IRAS galaxies. II
Moorwood, A.F.M., Véron-Cetty, M.-P., Glass, I.S. 63
- Multi-frequency radio continuum observations of NGC 5236 (M83)
Sukumar, S., Klein, U., Gräve, R. 71
- Constraints on confinement mechanisms of extragalactic radio sources
Carvalho, J.C. 79
- Standard photometric diameters of galaxies. III. Reduction of the diameters in the ESO-B and SGC catalogues to the standard diameter system at the 25 mag arcsec⁻² brightness level
Paturel, G., Fouqué, P., Lauberts, A., Valentijn, E.A., Corwin, H.G., de Vaucouleurs, G. 86

- Extended ionized nebulosities in the galaxies Mk 1, Mk 3, Mk 348 and the quasar 4C 37.43
Bergeron, J., Durret, F. 93

Galactic structure and dynamics

- Mass function of stars in the solar neighbourhood
Rana, N.C. 104
- Solar modulation of galactic antiprotons
Perko, J.S. 119
- A comparative study of galactic radial velocity fields
Feitzinger, J.V., Spicker, J. 122
- A molecular counterpart to the galactic center arc
Serabyn, E., Güsten, R. 133

Stellar clusters and associations

- Studies of dynamical properties of globular clusters. III. Anisotropy in ω Centauri
Meylan, G. 144
- Mass-loss of globular cluster red giants. A semi-empirical estimation
Martinez Roger, C., Paez, E. 155

Formation, structure and evolution of stars

- Evolution of stellar binaries formed by tidal capture
Ray, A., Kembhavi, A.K., Antia, H.M. 164
- Stationary shocks in accretion disks
Spruit, H.C. 173
- A study of the massive O-type binary Iota Orionis
Stickland, D.J., Pike, C.D., Lloyd, C., Howarth, I.D. 185
- Photometry and spectroscopy of the eclipsing P Cygni star R 81 in the Large Magellanic Cloud
Stahl, O., Wolf, B., Zickgraf, F.-J. 193
- The relation between optical and X-ray flux variations of the black-hole candidate LMC X-3
van Paradijs, J., van der Klis, M., Augusteijn, T., Charles, P., Corbet, R.H.D., Ilovaisky, S., Maraschi, L., Motch, C., Pakull, M., Smale, A.P., Treves, A., van Amerongen, S. 201
- An evolutionary scenario for the formation of highly eccentric Be/X-ray binaries
Habets, G.M.H.J. 209
- (RN) The variable star HD 79889
Oja, T. 215

Stellar atmospheres

- IUE observations of the broad continuum feature at 1400 Å in the silicon and related stars
Shore, S.N., Brown, D.N. 219
- Radiation-driven winds of hot luminous stars. IV. The influence of multi-line effects
Puls, J. 227
- Model atmospheres for type I supernovae: curvature effects
López, R., Simonneau, E., Isern, J. 249
- A study of UV spectra of ζ Aur/VV Cep stars. X. Mass-loss of α Sco A from high-resolution IUE spectra of α Sco B
Hagen, H.-J., Hempe, K., Reimers, D. 256

Diffuse matter in space (including H II regions and planetary nebulae)

- The possibility of a single fragmentation law for the formation of different astronomical objects
Di Fazio, A., Capuzzo Dolcetta, R. 263
- IRAS and optical observations of the high-latitude dust cloud Lynds 1642
Laureijs, R.J., Mattila, K., Schmur, G. 269
- Molecular clouds in the vicinity of the semicircular supernova remnant G 109.1 – 1.0
Tatematsu, K., Fukui, Y., Nakano, M., Kogure, T., Ogawa, H., Kawabata, K. 279
- Molecular line observations of the H II region G34.3 + 0.2
Matthews, N., Little, L.T., Macdonald, G.H., Andersson, M., Davies, S.R., Riley, P.W., Dent, W.R.F., Vizard, D. 284
- Hydrogen recombination lines: a model of the temperature and density in Orion A
Wilson, T.L., Jäger, B. 291
- The LMC H II regions N 11 C and E and their stellar contents
Heydari-Malayeri, M., Niemela, V.S., Testor, G. 300
- Formaldehyde absorption and visual extinction in the dark cloud L 1709 in the ρ Ophiuchi region
Minn, Y.K., Greenberg, J.M. 315

- The kinematic structure of the HH 24 complex derived from high-resolution spectroscopy
Solf, J. 322

The solar system

- The spectrum of comet P/Halley from 3.0 to 4.0 μm
Danks, A.C., Encrenaz, T., Bouchet, P., Le Bertre, T., Chalabaev, A. 329
- Optical evolution of laboratory-produced organics: applications to Phoebe, Iapetus, outer belt asteroids and cometary nuclei
Andronico, G., Baratta, G.A., Spinella, F., Strazzulla, G. 333

Physical and chemical processes

- Si IV line ratios in laboratory plasmas: a comparison of experimental data and theoretical computations
Finkenthal, M., Yu, T.L., Allen, S.L., Huang, L.K., Lippmann, S., Moos, H.W., Stratton, B.C., Dufton, P.L., Kingston, A.E. 337
- Hydromagnetic flows from rapidly rotating compact objects. II. The relativistic axisymmetric jet equilibrium
Camenzind, M. 341

Instruments, data processing, and computational methods

- Data reduction and spectrophotometric performances of PUMA 1: an on-line multiaperture spectroscopic system used at the CFHT
Soucail, G., Mellier, Y., Fort, B., Picat, J.P., Cailloux, M. 361
- A study of the efficiency of some inversion techniques applied to a simple model of the Moon
Ibrahim Denis, A. 373
- Observations of anomalous refraction at radio wavelengths
Altenhoff, W.J., Baars, J.W.M., Downes, D., Wink, J.E. 381
- The spectro-interferometer of the Arcetri Solar Tower
Cavallini, F., Ceppatelli, G., Righini, A., Meco, M., Paloschi, S., Tantulli, F. 386

